

Oracle® Database

Licensing Information

10g Release 2 (10.2)

B14199-06

July 2006

Oracle Database Licensing Information, 10g Release 2 (10.2)

B14199-06

Copyright © 2004, 2006, Oracle. All rights reserved.

Contributors: Francisco Abedrabbo, Manmeet Ahluwalia, Michelle Bird, Carolyn Bruse, Rich Buchheim, Sandra Cheevers, Leo Cloutier, Anil Khilani, Mughees Minhas, Trish McGonigle, Dennis MacNeil, Paul Narth, Anu Natarajan, Paul Needham, Martin Pena, Jill Robinson, Mark Townsend, Jacqueline Woods, Prabhaker Gongloor

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software--Restricted Rights (June 1987). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Contents

Preface	v
Intended Audience.....	v
Documentation Accessibility	v
Related Documents	vi
Conventions	vi
 1 Oracle Database Editions	
The Oracle Database Product Family	1-1
Feature Availability by Edition	1-2
Features Specific to the Windows Platform	1-4
Special-Use Licensing.....	1-4
General Licensing Information	1-6
 2 Options and Packs	
Oracle Database Options	2-1
Oracle Management Packs	2-6
Other Oracle Products	2-12
 A Third-Party Licenses	
Third-Party Products Included with Oracle Database	A-1
Third-Party Products Included with Sun Microsystems Products	A-22
 Index	

Preface

This document, which is part of the Program Documentation under the terms of your Oracle licensing agreement, is intended to help you understand the features, functionality, and options available for Oracle Programs. If you have a question about your licensing needs, please contact your Oracle sales representative or refer to the resources listed in "[Related Documents](#)" on page -vi for more information.

Oracle Database 10g is available in multiple editions, each suitable for different development and deployment scenarios.

Oracle also offers several database options and packs that enhance the capabilities of Oracle Database for specific application requirements. *Oracle Database Licensing Information* provides information on these optional database products.

This Preface contains these topics:

- [Intended Audience](#)
- [Documentation Accessibility](#)
- [Related Documents](#)
- [Conventions](#)

Intended Audience

This book is intended for all purchasers of Oracle Database 10g.

Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible, with good usability, to the disabled community. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in HTML format, and contains markup to facilitate access by the disabled community. Accessibility standards will continue to evolve over time, and Oracle is actively engaged with other market-leading technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers. For more information, visit the Oracle Accessibility Program Web site at

<http://www.oracle.com/accessibility/>

Accessibility of Code Examples in Documentation

Screen readers may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an

otherwise empty line; however, some screen readers may not always read a line of text that consists solely of a bracket or brace.

Accessibility of Links to External Web Sites in Documentation

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.

TTY Access to Oracle Support Services

Oracle provides dedicated Text Telephone (TTY) access to Oracle Support Services within the United States of America 24 hours a day, seven days a week. For TTY support, call 800.446.2398.

Related Documents

For more information, see these Oracle resources:

- *Oracle Database New Features* for information on the features new to this release of Oracle Database
- The Software Investment Guide, available at:
<http://www.oracle.com/corporate/pricing/sig.pdf>

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Oracle Database Editions

This chapter describes the four Oracle Database editions and the features available with those editions. It contains the following sections:

- [The Oracle Database Product Family](#)
- [Feature Availability by Edition](#)
- [Features Specific to the Windows Platform](#)
- [Special-Use Licensing](#)
- [General Licensing Information](#)

The Oracle Database Product Family

Oracle Database is available in five editions, each suitable for different development and deployment scenarios. Oracle also offers several database options, packs, and other products that enhance the capabilities of Oracle Database for specific application purposes. This section describes the Oracle Database editions. The database enhancement products are described in [Chapter 2, "Options and Packs"](#).

Oracle Database Standard Edition One Oracle Database Standard Edition One delivers unprecedented ease of use, power, and performance for workgroup, department-level, and Web applications. From single-server environments for small business to highly distributed branch environments, Oracle Database Standard Edition One includes all the facilities necessary to build business-critical applications.

Oracle Database Standard Edition Oracle Database Standard Edition delivers the unprecedented ease of use, power, and performance of Standard Edition One, with support for larger machines and clustering of services with Real Application Clusters. Real Application Clusters is not included in the Standard Edition of releases prior to Oracle Database 10g, nor is it an available option with those earlier releases.

Oracle Database Enterprise Edition Oracle Database Enterprise Edition provides the performance, availability, scalability, and security required for mission-critical applications such as high-volume online transaction processing (OLTP) applications, query-intensive data warehouses, and demanding Internet applications. Oracle Database Enterprise Edition contains all of the components of Oracle Database, and can be further enhanced with the purchase of the options and packs described in [Chapter 2, "Options and Packs"](#).

Oracle Database Express Edition Oracle Database Express Edition (Oracle Database XE) is an entry-level edition of Oracle Database that is quick to download, simple to install and manage, and is free to develop, deploy, and distribute. Oracle Database XE

makes it easy to upgrade to the other editions of Oracle without costly and complex migrations. Oracle Database XE can be installed on any size machine with any number of CPUs, stores up to 4GB of user data, using up to 1GB of memory, and using only one CPU on the host machine. Support is provided by an online forum.

Oracle Database Personal Edition Oracle Database Personal Edition supports single-user development and deployment environments that require full compatibility with Oracle Database Standard Edition One, Oracle Database Standard Edition, and Oracle Database Enterprise Edition.

Personal Edition includes all of the components that are included with Enterprise Edition, as well as all of the options that are available with Enterprise Edition, with the exception of the Oracle Real Application Clusters option, which cannot be used with Personal Edition. Personal Edition is available on Windows 2000, Windows NT, Windows XP, and Windows Server 2003 (32-bit and 64-bit versions). The Management Packs are not included in Personal Edition.

Feature Availability by Edition

Table 1–1 lists feature availability for Oracle Database Standard Edition One (SE1), Standard Edition (SE), and Enterprise Edition (EE). The Y value in a column means that the feature is available in the specified release; N means that it is unavailable. This table can help you understand the difference between the editions and determine whether you require Enterprise Edition (or Personal Edition for a single-user environment).

Note that Oracle Database XE is a separate product from the rest of the Oracle Database product family. The features available with Oracle Database XE are documented in *Oracle Database Express Edition Licensing Information*, which is installed along with the product itself.

Table 1–1 Feature Availability for Oracle Database Editions

Feature/Option	SE1	SE	EE	Notes
High Availability				
Oracle Data Guard—Redo Apply	N	N	Y	
Oracle Data Guard—SQL Apply	N	N	Y	
Rolling Upgrades—Patch Set, Database, and Operating System	N	N	Y	
Fast-start selectable recovery time	N	N	Y	
Comprehensive online schema reorganization/redefinition	N	N	Y	
Flashback Table	N	N	Y	
Flashback Database	N	N	Y	
Flashback Transaction Query	N	N	Y	
Block-level media recovery	N	N	Y	
Incremental backup and recovery	Y	Y	Y	SE1/SE: no optimized incremental backup
Parallel backup and recovery	N	N	Y	
Tablespace point-in-time recovery	N	N	Y	
Trial recovery	N	N	Y	

Table 1–1 (Cont.) Feature Availability for Oracle Database Editions

Feature/Option	SE1	SE	EE	Notes
Oracle Fail Safe	Y	Y	Y	Windows only
Scalability				
Oracle Real Application Clusters	N	Y	Y	Extra cost with EE, included with SE
Oracle Clusterware	N	Y	Y	
Automatic Workload Management	N	Y	Y	Requires RAC
Security				
Advanced Security Option	N	N	Y	Extra cost option
Oracle Label Security	N	N	Y	Extra cost option
Virtual Private Database	N	N	Y	
Fine-grained auditing	N	N	Y	
Development Platform				
SQLJ	Y	Y	Y	Requires Oracle Programmer
Oracle Developer Tools for Visual Studio .NET	Y	Y	Y	Windows only
Microsoft Distributed Transaction Coordinator support	Y	Y	Y	Windows only
Active Directory integration	Y	Y	Y	Windows only
Native .NET Data Provider—ODP.NET	Y	Y	Y	Windows only
.NET Stored Procedures	Y	Y	Y	Windows only
Manageability				
Oracle Change Management Pack	N	N	Y	Extra cost option
Oracle Configuration Management Pack	N	N	Y	Extra cost option
Oracle Diagnostic Pack	N	N	Y	Extra cost option
Oracle Tuning Pack	N	N	Y	Extra cost option, also requires the Diagnostic Pack
Duplexed backup sets	N	N	Y	
Database Resource Manager	N	N	Y	
VLDB, Data Warehousing, Business Intelligence				
Oracle Partitioning	N	N	Y	Extra cost option
Oracle OLAP	N	N	Y	Extra cost option
Oracle Data Mining	N	N	Y	Extra cost option
Oracle Warehouse Builder Enterprise ETL	N	N	Y	Extra cost option
Oracle Warehouse Builder Data Quality	N	N	Y	Extra cost option
Oracle Warehouse Builder Connector—E-Business Suite	N	N	Y	Extra cost option
Oracle Warehouse Builder Connector—PeopleSoft	N	N	Y	Extra cost option
Oracle Warehouse Builder Connector—SAP R/3 Connector	N	N	Y	Extra cost option
Data Compression	N	N	Y	
Bitmapped index and bitmapped join index	N	N	Y	
Parallel query/DML	N	N	Y	

Table 1–1 (Cont.) Feature Availability for Oracle Database Editions

Feature/Option	SE1	SE	EE	Notes
Parallel statistics gathering	N	N	Y	
Parallel index build/scans	N	N	Y	
Parallel Data Pump Export/Import	N	N	Y	
Transportable tablespaces, including cross-platform	N	N	Y	
Summary management—Materialized View Query Rewrite	N	N	Y	
Asynchronous Change Data Capture	N	N	Y	
Integration				
Oracle Streams	N	N	Y	SE1/SE: apply only
Messaging Gateway	N	N	Y	
Basic Replication	Y	Y	Y	SE1/SE: read-only, updateable materialized view
Advanced Replication	N	N	Y	Multi-master replication
Transparent Gateways	Y	Y	Y	Extra cost option
Networking				
Oracle Connection Manager	N	N	Y	
Infiniband Support	N	N	Y	
Content Management				
Oracle Spatial	N	N	Y	Extra cost option
Oracle Content DB	N	N	Y	Extra cost option
Oracle Records DB	N	N	Y	Extra cost option

Features Specific to the Windows Platform

The following features related to application development are available only on Windows platforms:

- COM Automation
- Microsoft Transaction Server/COM+ integration
- Oracle OLE DB Provider
- Oracle Objects for OLE (OO4O)
- VLM Support
- OLE DB .NET and ODBC .NET support
- Native .NET Data Provider - ODP .NET
- Oracle Database Extensions for .NET (.NET Stored Procedures)

Special-Use Licensing

Oracle Standard Edition and Real Application Clusters (RAC) When used with Oracle Real Application Clusters in a clustered server environment, Oracle Database Standard Edition requires the use of Oracle Clusterware. Third-party clusterware management solutions are not supported. In addition, Automatic Storage

Management (ASM) must be used to manage all database-related files, including datafiles, online logs, archive logs, control file, server parameter files, and the flash recovery area. Third-party volume managers and file systems are not supported for this purpose.

Oracle Database Express Edition Oracle Database Express Edition may be used for free, for the purposes of developing, prototyping and running applications. It can also be used for free to provide demonstrations and training. It may also be distributed for free with any applications. However, any use of the Oracle Database Express Edition is subject to the following limitations:

1. Express Edition is limited to a single instance on any server.
2. Express Edition may be installed on a multiple CPU server, but may only be executed on one processor in any server.
3. Express Edition may be used only to support up to 4GB of user data (not including Express Edition system data).
4. Express Edition may use up to 1 GB RAM of available memory.

The Oracle technical support organization will not provide technical support, phone support, or updates for Oracle Database Express Edition.

Oracle Clusterware Oracle Clusterware can be installed and used to protect all Oracle databases and third-party applications on the same cluster. At a minimum, one machine involved in the cluster must be licensed using the appropriate metric for either Oracle Database Enterprise Edition or Oracle Database Standard Edition. A cluster is defined to include all the machines that share the same Oracle Cluster Registry (OCR) and Voting Disk.

Infrastructure Repository Databases A separate Oracle Database can be installed and used as a Recovery Manager (RMAN) repository without additional license requirements, provided that all the Oracle databases managed in this repository are correctly licensed. This repository database may also be used for the Oracle Enterprise Grid Control repository. It may not be used or deployed for other uses.

A separate Oracle Database can be installed and used as a Oracle Enterprise Manager Grid Control (OEM Grid Control) repository without additional license requirements, provided that all the targets (databases, applications, and so forth) managed in this repository are correctly licensed. This database may also be used for the RMAN repository. It may not be used or deployed for other uses.

Oracle Secure Backup Express Oracle Secure Backup Express is bundled with the Oracle Database. Oracle's technical support organization will provide technical support, phone support, or updates to you for Oracle Secure Backup Express when it is used to back up another Oracle Product that has a valid Customer Support Identifier (CSI). For example, if Oracle Secure Backup Express is used to back up an Oracle database that has a valid Customer Support Identifier, then Oracle Support provides technical support for the backup of this database.

Updates and technical support are only provided to customers who maintain technical support services for their Oracle licenses in accordance with Oracle's Technical Support Policies. Oracle Secure Backup is a separately licensed product and is supported in accordance with Oracle's Technical Support Policies.

Legato Storage Manager and Legato Single Server Version. Oracle Secure Backup Express is the replacement product for Legato Storage Manager (LSM) and Legato Single Server Version (LSSV). If you are currently using LSM or LSSV, then you can use

Oracle Secure Backup Migration Guide to learn how to migrate these products to Oracle Secure Backup Express.

Oracle Secure Backup Express can back up an Oracle database as well as Oracle home files and other file system data requiring tape protection.

For more information on Oracle Secure Backup Licensing, see

http://download-west.oracle.com/docs/cd/B19090_01/doc/backup.102/b25528/toc.htm

Restricted-Use Licensing The following restricted-use licenses are included with Oracle Database 10g in the editions indicated:

- A restricted-use license for Oracle Internet Directory (OID), a component of Oracle Identity and Access Management Suite, is included with all editions if users use the Directory Naming feature to configure Oracle Net Services. OID may not be used or deployed for other uses. Please contact your Oracle sales representative for additional information on Oracle Identity and Access Management Suite.
- For OS/390 implementations of Enterprise Edition, use of either Access Manager for CICS or Access Manager for IMS/TM is included.
- A restricted-use license for Oracle Application Server Containers for J2EE (OC4J) is included with all editions except for Oracle Database Express Edition. This embedded version is provided solely to support Oracle Enterprise Manager (Database and Grid Control), Advanced Queuing Servlet, iSQL*Plus, Ultra Search, Workflow, Content DB, Records DB, and Warehouse Builder, and may not be used or deployed for other purposes.

General Licensing Information

The Oracle Standard Edition One, Standard Edition and Enterprise Editions of the database can be licensed using the Named User Plus metric or the Processor metric. The Personal and the Lite Editions can only be licensed using the Named User Plus metric.

Named User Plus This metric can be used in all environments. Different minimums apply depending on the Database edition:

- Standard Edition One requires a minimum of 5 Named User Plus licenses or the total number of actual users, whichever is greater. Oracle Standard Edition One may only be licensed on servers that have a maximum capacity of 2 single core processors. For multicore chips, the maximum number of cores per server is determined by multiplying the core processor licensing factors {as contained in the processor definition} by the number of cores. The result must be less than or equal to 2 and the total number of cores must be less than or equal to 4. A blade server that meets this criteria is also eligible for licensing this program.
- Standard Edition requires a minimum of 5 Named User Plus licenses or the total number of actual users, whichever is greater. Oracle Database Standard Edition can only be licensed on servers that have a maximum capacity of 4 single core processors. For multicore chips, the maximum number of cores per server is determined by multiplying the core processor licensing factors (as contained in the processor definition) by the number of cores. The result must be less than or equal to 4 and the total number of cores must be less than or equal to 8. Effective with the release of 10g, the Oracle Database Standard Edition product includes the Real Applications Clusters database option. The Real Applications Clusters option is not included with any Standard Edition versions prior to 10g. Customers who

participate in Oracle's Update Subscription Service for the Standard Edition Database can upgrade to the 10g version of the product for the supported licenses. Also, Customers must use Oracle Cluster Ready Services as the clusterware; third party clusterware is not supported, AND Customers must use Automatic Storage Management to manage all data.

- The Enterprise Edition requires a minimum of 25 Named User Plus per Processor licenses or the total number of actual users, whichever is greater.

Processor This metric is used in environments where users cannot be identified and counted. The Internet is a typical environment where it is often difficult to count users. This metric can also be used when the Named User Plus population is very high and it is more cost effective for the customer to license the Database using the Processor metric. The Processor metric is not offered for Personal and Lite Editions.

When counting the number of processor licenses required, for a Sun UltraSPARC T1 processor with 4, 6 or 8 cores at 1.0 gigahertz or 8 cores at 1.2 gigahertz for only those servers specified on the Sun Server Table which can be accessed at

<http://oracle.com/contracts>

"n" cores shall be determined by multiplying the total number of cores by a factor of .25. For the purposes of counting the number of processors which require licensing for AMD and Intel multicore chips, "n" cores shall be determined by multiplying the total number of cores by a factor of .50. For the purposes of counting the number of processors which require licensing for all hardware platforms not otherwise specified in this section, a multicore chip with "n" cores shall be determined by multiplying "n" cores by a factor of .75. All cores on all multicore chips for each licensed program for each factor listed below are to be aggregated before multiplying by the appropriate factor and all fractions of a number are to be rounded up to the next whole number. Notwithstanding the above, when licensing Oracle Standard Edition One or Standard Edition programs on servers with a maximum of 1 processor with 1 or 2 cores, only 1 processor shall be counted.

The metrics used to license any of the Enterprise Edition options must match the type and number of the metrics used to license the associated Enterprise Edition database.

Options and Packs

This chapter describes the separately licensed Oracle Database options, management packs, and other products you can purchase to enhance the capabilities of Oracle Database in specific application environments. This chapter contains the following sections:

- [Oracle Database Options](#)
- [Oracle Management Packs](#)
- [Other Oracle Products](#)

You may not use the options, packs, or products described below without separately purchased licenses. The fact that these options, packs, or products may be included in product CDs or downloads or described in documentation that you receive does not authorize you to use them without purchasing appropriate licenses.

Oracle Database Options

All the Oracle Database options can be purchased with Oracle Database Enterprise Edition. Real Application Clusters is included with Oracle Database Standard Edition. You cannot purchase any options with Oracle Database Standard Edition One or Oracle Express Edition. The Personal Edition includes all options except Real Application Clusters at no additional cost.

Oracle Advanced Security

Oracle Advanced Security provides transparent data encryption of data stored in the database, the encryption and optimized compression of disk-based backups of the database, and also network encryption for data traveling across the network between the database and client or mid-tier applications. In addition it provides a complete suite of strong authentication services to Oracle Database. Network encryption is implemented using industry-standard data encryption and data integrity algorithms. This feature provides a choice of algorithms and cipher strengths for deployment. Strong authentication services support a comprehensive suite of industry-standard third-party authentication options. The authentication options include single sign-on services to the Oracle Database by interoperating with existing authentication frameworks and two-factor authentication choices such as smart cards and token cards.

If you wish to use Enterprise User Security in Oracle Database Enterprise Edition, you no longer need to license the Oracle Advanced Security Option for password-based authentication. However, you must license the Oracle Identity and Access Management Suite, which includes Oracle Internet Directory (OID). If you wish to use stronger authentication alternatives (such as Kerberos or PKI) for Enterprise User

Security, you must license Oracle Advanced Security and the Oracle Identity and Access Management Suite. Any Oracle Advanced Security licenses purchased on or before January 31, 2004, have restricted use of the Oracle Identity and Access Management Suite to support enterprise user security. Please contact your Oracle sales representative for additional information.

Oracle Content DB

Oracle Content DB leverages the power of the Oracle Database and Fusion Architecture to cost-effectively bringing the benefits of managing unstructured content such as Office documents, document images, and rich media to all users across the enterprise. Content DB delivers powerful file, document, and business process management capabilities through both out-of-the-box applications and a services-oriented architecture.

Oracle Data Mining

Oracle Data Mining enables you to build advanced business intelligence applications that mine corporate databases, reveal new patterns and relationships, and integrate that information into business applications. This option embeds data mining functionality into Oracle Database for making classifications, predictions, and associations. All model-building, scoring, and metadata management operations are accessible by way of either a Java or PL/SQL API.

Oracle Database Vault

Oracle Database Vault lets you control who, when, and where data and applications can be accessed—protecting your business against the most common security threat: malicious internal users. Enforcing separation of duties, even among administrators, Oracle Database Vault additionally serves as a powerful preventive control to help comply with today's stringent compliance and privacy requirements.

- It improves your ability to meet compliance requirements like Sarbanes-Oxley and other regulations that mandate control of access to, and release of, sensitive information
- It controls access to application and database data, even by super-users and other highly privileged users
- It enforces multi factor authorization via flexible business rules
- It shows who is accessing what and when via over three dozen out-of-the-box security reports

Oracle Label Security

Oracle Label Security provides sophisticated and flexible security based on row labels for fine-grained access control. This option employs labeling concepts used by government, defense, and commercial organizations to protect sensitive information and provide data separation. It includes a powerful tool to manage policies, labels, and user label authorizations.

By default, Oracle Label Security is configured to use Oracle Database for all policy management. Users interested in centralized policy management using the Oracle identity management infrastructure must additionally license Oracle Identity and Access Management Suite. Please contact your Oracle sales representative for additional information.

Oracle On-Line Analytical Processing (OLAP)

Oracle OLAP is a scalable, high-performance calculation engine with fully integrated management and administration for delivering analytic applications. Fully integrated in the database, this option provides a complete set of analytic functions. Predictive analysis can be used, for example, to forecast market trends, predict product manufacturing requirements, and build enterprise budgeting and financial analysis systems. Using complex, multidimensional queries and calculations, information such as market shares and net present value can be derived. The Java OLAP API provides efficient object-orientation for building applications that require complex analytic queries.

Oracle Partitioning

Oracle Partitioning enhances the data management environment for OLTP, data mart, data warehouse, and content management applications by adding significant manageability, availability, and performance capabilities to large underlying database tables and indexes. Oracle Partitioning lets you store large tables as individually managed smaller pieces, while retaining a single application-level view of the data. Range, hash, list, and composite (range combined with hash and range combined with list) partitioning methods are supported.

Oracle Real Application Clusters

Oracle Real Application Clusters (RAC) is a database computing environment that harnesses the processing power of multiple interconnected computers using clustering technology. RAC provides unlimited scalability and high availability for all applications. RAC makes the database highly available in the presence of computer hardware or software failure: in the event any computer in the cluster fails, the database continues to provide service on the surviving computers in the cluster. RAC provides scalable performance: as demand for database throughput grows, additional computers can be added to the database cluster with no downtime. RAC supports a single-system image for ease of management. RAC also provides a complete and integrated stack of clustering software on all platforms; third-party clusterware software is not required. Finally, RAC provides cluster file system capability on the Windows, Linux, and Solaris platforms.

Oracle Records DB

Oracle Records DB supports regulatory compliance and risk management through secure, policy-based retention and disposition management and access control of content stored within Oracle Content DB and other repositories.

Oracle Content DB is a prerequisite for Records DB. You must license Oracle Content DB in order to license Oracle Records DB.

Oracle Spatial

Oracle Spatial provides advanced spatial analysis features for complex geographic information systems (GIS) applications, enterprise applications, and location-based services applications. It augments the Oracle Locator feature, which provides storage, analysis, and indexing of location data accessible through SQL and standard programming languages, supporting seamless integration of location data into enterprise applications, and use of any leading third-party GIS tool to access location data. Oracle Spatial advanced features include GeoRaster for storage, indexing, and analysis of image and gridded raster data, such as satellite imagery and remotely

sensed data; a network data model that allows users to model and analyze link-node networks (graphs) for applications; a topology data model and schema to persistently manage topology; a fully functional geocoding engine and routing engine; and location-based analysis functions for business intelligence applications, including location-based classification, binning, association, and correlation. Oracle Spatial also supports spatial data manipulation and analysis such as buffer generation, area/distance calculations, linear referencing, and more.

Oracle Warehouse Builder Enterprise ETL Option

The Enterprise ETL option enables large scale, complex ETL deployments. Developers can incorporate advanced functionality such as retaining history for dimensions, reusing mapping code, performing interactive lineage and impact analysis, and defining custom types of objects in the repository. This option also enables the rapid movement of large amounts of data, and the construction of advanced process flows.

Table 2–1 lists the functionality available with the Enterprise ETL option. The functionality is grouped into areas. For example, the area *Schema Modeling* includes functionality for slowly changing dimensions and business intelligence.

Table 2–1 Enterprise ETL Option

Area and Functionality	Comments
Schema Modeling	
Slowly changing dimensions	Includes support for SCD types 2 and 3.
Business intelligence	Supports Oracle BI Beans via presentation templates.
Sources and Targets	
XML file as target	Supported via the flat file operator.
ETL Design	
Advanced ETL features	Includes the following ETL features: transportable modules, multiple configurations, and pluggable mappings. Includes the following operators associated with reusing mapping code: pluggable mapping, pluggable mapping input signature, pluggable mapping output signature.
Real Applications Cluster (RAC) support	Includes maintaining the Warehouse Builder design environment in a Real Applications Cluster environment. Without the Enterprise ETL option, you can install the Warehouse Builder repository in a Real Applications Cluster environment for the limited purposes of executing in that environment.
Target load ordering	For mappings with multiple targets, includes functionality to specify the order in which the targets are loaded.
Transformations	Seeded spatial and streams transformations.
Process flows	Includes the following advanced process flow functionality: <ul style="list-style-type: none"> Activity templates Variables support: assigning and passing variables and using the Assign and Set Status activities Looping activities such as For Loop and While Loop Route and Notification activities
Metadata Management	
Lineage and impact analysis	Includes interactive analysis available in the Design Center.
Change propagation	Includes automatic propagation of property changes to impacted objects via the Lineage and Impact Analyzer.

Table 2–1 (Cont.) Enterprise ETL Option

Area and Functionality	Comments
Extensibility	Includes project based and public based user defined objects, user defined associations, and user defined modules. Includes creating icon sets and assigning custom icons to objects.
Deployment and Execution	
Schedules	Includes functionality to schedule the execution of mappings and process flows.
Business intelligence deployment targets	Includes direct deployment to the Discoverer End User Layer (EUL). Includes deployment to the Oracle BI Beans catalog.

Oracle Warehouse Builder Data Quality Option

The Data Quality option enables you to convert raw data into quality information. Developers and data librarians can gain insight into their data and identify previously unknown data quality problems. Subsequently, developers can define rules and generate mappings that correct the data. Based on the data rules, developers can also create data auditors to ensure the quality of incoming data on a repeated basis.

Table 2–2 lists the functionality available in the Data Quality option.

Table 2–2 Data Quality Option

Area and Functionality	Comments
Data Profiling	
Data profiling	Includes functionality for data profiling and data drill-down.
Data rules	Includes functionality for data rule derivation and data rule profiling. Includes support for custom and predefined data rules and support for apply data rules to data objects.
Data corrections	Includes the generation of mappings that correct data based on data rules.
ETL Design	
Process flows	Includes the use of the Data Auditor Monitor activity in the Process Flow editor.

Oracle Warehouse Builder Connector—E-Business Suite

The Warehouse Builder Connector to E-Business Suite provides access to the technical and business metadata within Oracle E-Business Suite. Subsequently, you can build mappings and process flows that either source or target Oracle E-Business Suite. The connector also facilitates deployment to Oracle Concurrent Manager and access to Oracle E-Business Suite at execution-time.

Oracle Warehouse Builder Connector—PeopleSoft

With Warehouse Builder Connector to PeopleSoft, you can connect to and then extract data and metadata from PeopleSoft applications. Subsequently, you can include PeopleSoft objects as sources or targets in Warehouse Builder mappings, create process flows, and generate SQL code. This connector can operate with non-Oracle databases after you establish the appropriate transparent gateways to those databases.

Oracle Warehouse Builder Connector—SAP R/3 Connector

With the Warehouse Builder Connector to SAP R/3, you can connect to and then extract data and metadata from SAP R/3. You can access both the technical and business metadata in the SAP R/3 application. Subsequently, you can include SAP R/3 objects in Warehouse Builder mappings and process flows and generate ABAP code.

This connector supports transporting of ABAP code and the use of substitution variables.

Oracle Management Packs

The sections that follow describe the Oracle management packs. The management packs can be purchased only with Enterprise Edition. The features in these packs are accessible through Oracle Enterprise Manager Database Control, Oracle Enterprise Manager Grid Control, and APIs provided with Oracle Database software.

Oracle Change Management Pack

The Oracle Change Management Pack enables administrators to evaluate, plan, and implement database schema changes. Using the Change Management Pack, administrators can investigate and track changes, compare and synchronize objects and schemas, modify schema objects, evaluate the change impact, and if required undo changes that have been made previously. The Change Management Pack makes change management simple and efficient and minimizes chances for error, thereby reducing the opportunity for data loss and system down-time.

The Change Management Pack includes the following features:

- Reverse engineer database and schema definitions
- Capture and version baselines
- Compare databases and schemas, or baselines
- Copy database objects with data, with a subset of the data, or without data
- Update database object definitions (`ALTER TABLE`)
- Synchronize objects and schemas
- Evaluate the impact of changes
- Clone or propagate application schemas

In order to use the features listed above you must install the Java console version of Enterprise Manager, which you can find in the `/companion` directory of the installation medium. The use of this interface requires licensing of the Change Management Pack.

Oracle Configuration Management Pack

The Oracle Configuration Management Pack automates the time-consuming and often error prone process of software configuration, software and hardware inventory tracking, patching, cloning and policy management. The Configuration Management Pack includes the following features:

- Database and Host Configuration
- Deployments
- Search configuration
- Compare configuration
- Policies, including Security checks and scoring

In order to use the features listed above, you must purchase licenses for the Configuration Management Pack. The Configuration Management Pack functionality can be accessed by the Enterprise Manager and through the Enterprise Manager

repository views. The use of either interface requires licensing of the Configuration Management Pack.

In earlier releases, three additional features were part of this pack: Patch Deployment (Patch Database and View Patch Cache, Patch staging), Clone Oracle Home, and Clone Database. These features are no longer part of the Configuration Management Pack. They are now part of the Oracle Provisioning Pack, which is licensed with Enterprise Manager. However, if you have previously licensed the Configuration Management Pack for Oracle Database, you are entitled to use these features without licensing the Provisioning Pack.

Enterprise Manager

To determine which links in Enterprise Manager Grid Control and Database Control are part of the Configuration Management Pack, click the **Setup** link on the top right-hand part of the Enterprise Manager Home page.

- When you click the **Setup** link, the navigation bar contains the **Management Pack Access** link. Click this link.
- This will take you to the **Management Pack Access** page, which allows you to grant and remove access from all the management packs.
 - For Enterprise Manager Database Control, click the **Remove Access** radio button for the Configuration Management Pack and click **Apply**.
 - For Enterprise Manager Grid Control, click the appropriate check box for the Configuration Management Pack and click **Apply**.

This will disable all the links and tabs associated with the Configuration Management Pack in Enterprise Manager. All the disabled links and tabs are part of the Configuration Management Pack and therefore require pack license.

Configuration Management Pack Database Reports

The following reports found are part of this pack:

- On the **Deployment and Configuration** page: all reports
- From the **Monitoring** page, the **Alerts and Policy Violations** link: all reports.
- From the **Monitoring** page, the **Disabled Policies** link: all reports.
- From the **Security** page, the **Security Policy Overview** link: all reports.

Configuration Management Pack Enterprise Manager Repository Views

- **Policy Definition Views**
 - MGMT\$POLICIES
 - MGMT\$POLICY_PARAMETERS
 - MGMT\$POLICY_VIOLATION_CTXT
 - MGMT\$POLICY_VIOL_ANNOTATIONS
 - MGMT\$POLICY_VIOL_NOTIF_LOG
- **Policy Association Views**
 - MGMT\$TARGET_POLICIES
 - MGMT\$TARGET_POLICY_SETTINGS
 - MGMT\$TARGET_POLICY_EVAL_SUM

- MGMT\$TARGET_COMPLIANCE_SCORE
- **Policy Violation Views**
 - MGMT\$POLICY_VIOLATION_CURRENT
 - MGMT\$POLICY_VIOLATION_HISTORY
 - MGMT\$POLICY_VIOLATION_CONTEXT
- **Configuration Views**
 - MGMT\$DB_TABLESPACES
 - MGMT\$DB_DATAFILES
 - MGMT\$DB_CONTROLFILES
- **Oracle Home Patching**
 - MGMT\$CPF_ADVISORY_INFO
 - MGMT\$CPF_HOMES_INFO
 - MGMT\$CPF_PATCH_INFO
 - MGMT\$EM_HOMES_PLATFORM
 - MGMT\$HOMES_AFFECTED
 - MGMT\$PATCH_ADVISORIES
 - MGMT\$APPL_PATCH_AND_PATCHSET
 - MGMT\$APPLIED_PATCHES
 - MGMT\$APPLIED_PATCHSETS
- **Linux Patching**
 - MGMT\$HOSTPATCH_HOSTS
 - MGMT\$HOSTPATCH_GROUPS
 - MGMT\$HOSTPATCH_GRP_COMPL_HIST
 - MGMT\$HOSTPATCH_HOST_COMPL
- **Security Views**
 - MGMT\$ESA_ALL_PRIVS_REPORT
 - MGMT\$ESA_ANY_DICT_REPORT
 - MGMT\$ESA_ANY_PRIV_REPORT
 - MGMT\$ESA_AUDIT_SYSTEM_REPORT
 - MGMT\$ESA_BECOME_USER_REPORT
 - MGMT\$ESA_CATALOG_REPORT
 - MGMT\$ESA_CONN_PRIV_REPORT
 - MGMT\$ESA_CREATE_PRIV_REPORT
 - MGMT\$ESA_DBA_GROUP_REPORT
 - MGMT\$ESA_DBA_ROLE_REPORT
 - MGMT\$ESA_DIRECT_PRIV_REPORT
 - MGMT\$ESA_EXMPT_ACCESS_REPORT

- MGMT\$ESA_KEY_OBJECTS_REPORT
- MGMT\$ESA_OH_OWNERSHIP_REPORT
- MGMT\$ESA_OH_PERMISSION_REPORT
- MGMT\$ESA_POWER_PRIV_REPORT
- MGMT\$ESA_PUB_PRIV_REPORT
- MGMT\$ESA_SYS_PUB_PKG_REPORT
- MGMT\$ESA_TABSP_OWNERS_REPORT
- MGMT\$ESA_TRC_AUD_PERM_REPORT
- MGMT\$ESA_WITH_ADMIN_REPORT
- MGMT\$ESA_WITH_GRANT_REPORT
- **Client Configuration Views**
 - MGMT\$CSA_COLLECTIONS
 - MGMT\$CSA_FAILED
 - MGMT\$CSA_HOST_OS_COMPONENTS
 - MGMT\$CSA_HOST_SW
 - MGMT\$CSA_HOST_COOKIES
 - MGMT\$CSA_HOST_CUSTOM
 - MGMT\$CSA_HOST_RULES
 - MGMT\$CSA_HOST_CPUS
 - MGMT\$CSA_HOST_IOCARDS
 - MGMT\$CSA_HOST_NICS
 - MGMT\$CSA_HOST_OS_PROPERTIES
 - MGMT\$CSA_HOST_OS_FILESYSTEMS
 - MGMT\$ECM_CONFIG_HISTORY
 - MGMT\$ECM_CONFIG_HISTORY_KEY1
 - MGMT\$ECM_CONFIG_HISTORY_KEY2
 - MGMT\$ECM_CONFIG_HISTORY_KEY3
 - MGMT\$ECM_CONFIG_HISTORY_KEY4
 - MGMT\$ECM_CONFIG_HISTORY_KEY5
 - MGMT\$ECM_CONFIG_HISTORY_KEY6
 - MGMT\$HW_NIC
 - MGMT\$OS_COMPONENTS
 - MGMT\$OS_FS_MOUNT
 - MGMT\$OS_HW_SUMMARY
 - MGMT\$OS_HW_SUMMARY
 - MGMT\$OS_PATCHES
 - MGMT\$OS_SUMMARY

- MGMT\$SOFTWARE_COMP_PATCHSET
- MGMT\$SOFTWARE_COMPONENT_ONEOFF
- MGMT\$SOFTWARE_COMPONENTS
- MGMT\$SOFTWARE_DEPENDENCIES
- MGMT\$SOFTWARE_HOMES
- MGMT\$SOFTWARE_ONEOFF_PATCHES
- MGMT\$SOFTWARE_OTHERS
- MGMT\$SOFTWARE_PATCHES_IN_HOMES
- MGMT\$SOFTWARE_PATCHSETS

Oracle Diagnostic Pack

The Oracle Diagnostic Pack provides automatic performance diagnostic and advanced system monitoring functionality. The Diagnostic Pack includes the following features:

- Automatic Workload Repository
- Automatic Database Diagnostic Monitor (ADDM)
- Performance monitoring (database and host)
- Event notifications: notification methods, rules, and schedules
- Event history and metric history (database and host)
- Blackouts
- Dynamic metric baselines
- Monitoring templates
- Memory-access based performance monitoring

In order to use the features listed above, you must purchase licenses for the Diagnostic Pack. The Diagnostics Pack functionality can be accessed by Enterprise Manager links as well as through the database server command-line APIs. The use of either interface requires a Diagnostic Pack license.

Enterprise Manager

To determine which links in Enterprise Manager Grid Control and Database Control are part of the Diagnostics Packs, click the **Setup** link on the top right-hand part of the Enterprise Manager Home page.

- When you click the **Setup** link, the navigation bar contains the **Management Pack Access** link. Click this link.
- This will take you to the **Management Pack Access** page, which allows you to grant and remove access from all the management packs.
 - For Enterprise Manager Database Control, click the **Remove Access** radio button for the Diagnostic Pack and click **Apply**.
 - For Enterprise Manager Grid Control, click the appropriate check box for the Diagnostic Pack and click **Apply**.

This will disable all the links and tabs associated with the Diagnostics Pack in Enterprise Manager. All the disabled links and tabs are part of the Diagnostics Pack and therefore require pack license.

Command-Line APIs

Diagnostics Pack features can also be accessed by way of database server APIs and command-line interfaces:

- The DBMS_WORKLOAD_REPOSITORY package is part of this pack.
- The DBMS_ADVISOR package is part of this pack if you specify ADDM as the value of the *advisor_name* parameter, or if you specify for the value of the *task_name* parameter any value starting with the ADDM prefix.
- The V\$ACTIVE_SESSION_HISTORY dynamic performance view is part of this pack.
- All data dictionary views beginning with the prefix DBA_HIST_ are part of this pack, along with their underlying tables.
- All data dictionary views with the prefix DBA_ADVISOR_ are part of this pack if queries to these views return rows with the value ADDM in the ADVISOR_NAME column or a value of ADDM* in the TASK_NAME column or the corresponding TASK_ID.
- The following reports found in the /rdbms/admin/ directory of the Oracle home directory are part of this pack: awrrpt.sql, awrrpti.sql, addmrtp.sql, addmrpti.sql, awrrpt.sql, awrrpti.sql, addmrtp.sql, addmrpti.sql, ashrpt.sql, ashrpti.sql, awrddrpt.sql, awrddrpi.sql, awrsqrpi.sql, awrsqrpt.sql.

Oracle Diagnostics Pack Enterprise Manager Repository Views

- **Monitoring Views**
 - MGMT\$BLACKOUT_HISTORY
 - MGMT\$BLACKOUTS
 - MGMT\$ALERT_ANNOTATIONS
 - MGMT\$ALERT_NOTIF_LOG
 - MGMT\$TARGET_METRIC_COLLECTIONS
 - MGMT\$METRIC_COLLECTIONS
 - MGMT\$TARGET_METRIC_SETTINGS
 - MGMT\$AVAILABILITY_CURRENT
 - MGMT\$AVAILABILITY_HISTORY
 - MGMT\$ALERT_CURRENT
 - MGMT\$ALERT_HISTORY
 - MGMT\$METRIC_DETAILS
 - MGMT\$METRIC_CURRENT
 - MGMT\$METRIC_HOURLY
 - MGMT\$METRIC_DAILY
- **Template Views**
 - MGMT\$TEMPLATES
 - MGMT\$TEMPLATE_POLICY_SETTINGS
 - MGMT\$TEMPLATE_METRIC_COLLECTION

- MGMT\$TEMPLATE_METRIC_SETTINGS

Oracle Tuning Pack

The Oracle Tuning Pack provides database administrators with expert performance management for the Oracle environment, including SQL tuning and storage optimizations. The Oracle Diagnostic Pack is a prerequisite product to the Oracle Tuning Pack. Therefore, to use the Tuning Pack, you must also have a Diagnostic Pack. The Tuning Pack includes the following features:

- SQL Access Advisor
- SQL Tuning Advisor
- SQL Tuning Sets
- Reorganize objects

In order to use the features listed above, you must purchase licenses for the Tuning Pack. The Tuning Pack functionality can be accessed by the Enterprise Manager links as well as through the database server command-line APIs. The use of either interface requires licensing of the Tuning Pack.

Enterprise Manager

To determine which links in Enterprise Manager Grid Control and Database Control are part of the Diagnostics Packs, click the **Setup** link on the top right-hand part of the Enterprise Manager Home page.

- When you click the **Setup** link, the navigation bar contains the **Management Pack Access** link. Click this link.
- This will take you to the **Management Pack Access** page, which allows you to grant and remove access from all the management packs.
 - For Enterprise Manager Database Control, click the **Remove Access** radio button for the Tuning Pack and click **Apply**.
 - For Enterprise Manager Grid Control, click the appropriate check box for the Tuning Pack and click **Apply**.

This will disable all the links and tabs associated with the Tuning Pack in Enterprise Manager. All the disabled links and tabs are part of the Tuning Pack and therefore require pack license.

Command-Line APIs

Tuning Pack features can also be accessed by way of database server APIs. Use of the following PL/SQL packages requires a license for the Oracle Tuning Pack:

- DBMS_SQLTUNE
- DBMS_ADVISOR, when the value of the *advisor_name* parameter is either SQL Tuning Advisor or SQL Access Advisor.
- The following report found in the /rdbms/admin/ directory of the Oracle home directory is part of this pack: sqltrpt.sql.

Other Oracle Products

In addition to the options and packs described in this chapter, Oracle provides two additional products for specific customer environments.

Oracle Database Lite

Oracle Database Lite provides efficient, reliable, and secure data management for applications running locally on mobile and small-footprint devices (handhelds, laptops, communicators, and so forth). Oracle Database Lite supports scalable synchronization of data between devices and any Oracle Database while offering complete management of users, devices, and applications. Oracle Database Lite requires a minimum of one Named User Plus license or the total number of actual users, whichever is greater.

Oracle Programmer

Oracle Programmer is a separate Oracle product that provides a programmatic interface to any edition of Oracle Database for application programmers. Programmer provides a rich set of interfaces for developers who build enterprise applications that access and manipulate Oracle Database. This product is licensed separately from the Oracle Database products. Oracle Programmer is a family of the following products:

- Three embedded SQL-style interfaces: precompilers, SQL*Module, and SQLJ
- Two utilities to generate host-language bindings from database schemas: Object Type Translator and JPub

Oracle Secure Backup

Oracle Secure Backup provides tape backup management for the entire Oracle environment. You can use Oracle Secure Backup to back up Oracle databases and host file systems to tape through direct-attached or network-attached tape drives. Oracle Secure Backup provides centralized management and control over backup and restore operations.

Oracle Secure Backup is available in the following forms, each suitable for different development and deployment scenarios:

Oracle Secure Backup For environments that consist of many servers, Oracle Secure Backup offers high performance data protection from server to tape. This protection is crucial for local and offsite storage of business-critical data.

Oracle Secure Backup Express For environments that consist of a single server, Oracle Secure Backup Express offers the same tape backup functionality as Oracle Secure Backup, but is limited to a single host with one direct-attached tape drive.

For more information on Oracle Secure Backup Licensing, see

http://download-west.oracle.com/docs/cd/B19090_01/doc/backup.102/b25528/toc.htm

Third-Party Licenses

This appendix contains the following sections:

- [Third-Party Products Included with Oracle Database](#)
- [Third-Party Products Included with Sun Microsystems Products](#)

Third-Party Products Included with Oracle Database

This section includes third-party license information for all third-party products included with Oracle Database 10g Release 2 (10.2). Oracle acknowledges that following Third Party and Open Source software are used in the provided programs covered by this documentation.

Apache Web Server 1.3.22 (including mod_mm 1.1.3, mod_perl 1.26, mod_jserv, SOAP 2.2, SOAP Client 2.2, SOAP Envelopes API and DBI 0.88) from Apache Software Foundation

Copyright (c) 1996-2002 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

'This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).'

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names 'Apache' and 'Apache Software Foundation' must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
5. Products derived from this software may not be called 'Apache', nor may 'Apache' appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED 'AS IS' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <http://www.apache.org/>. This product includes software developed by the Java Apache Project for use in the Apache JServ Servlet Engine (<http://java.apache.org>).

Axis 1.2 from Apache Software Foundation

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original

work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - a. You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - b. You must cause any modified files to carry prominent notices stating that You changed the files; and
 - c. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - d. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the

Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

ConvertUTF.C from Unicode, Inc.

Oracle Drive includes software developed by Unicode, Inc.
(<http://www.unicode.org>), ConvertUTF.C available at

<http://www.unicode.org/Public/PROGRAMS/CVTUTF/ConvertUTF.c>, which has the following notice.

Grateful acknowledgement to Mark E. Davis, Rick McGowan, S. Parent, A. Lillich, and Tim Dodd.

Copyright 2001-2004 Unicode, Inc.

Disclaimer

This source code is provided as is by Unicode, Inc. No claims are made as to fitness for any particular purpose. No warranties of any kind are expressed or implied. The recipient agrees to determine applicability of information provided. If this file has been purchased on magnetic or optical media from Unicode, Inc., the sole remedy for any claim will be exchange of defective media within 90 days of receipt.

Limitations on Rights to Redistribute This Code

Unicode, Inc. hereby grants the right to freely use the information supplied in this file in the creation of products supporting the Unicode Standard, and to make copies of this file in any form for internal or external distribution as long as this notice remains attached.

Conversions between UTF32, UTF-16, and UTF-8. Source code file.

Author: Mark E. Davis, 1994.

Rev History: Rick McGowan, fixes & updates May 2001.

Sept 2001: fixed const & error conditions per mods suggested by S. Parent & A. Lillich.

June 2002: Tim Dodd added detection and handling of incomplete source sequences, enhanced error detection, added casts to eliminate compiler warnings.

July 2003: slight mods to back out aggressive FFFE detection.

Jan 2004: updated switches in from-UTF8 conversions.

Oct 2004: updated to use UNI_MAX_LEGAL_UTF32 in UTF-32 conversions.

CyberNeko HTML Parser 0.9.3

(C) Copyright 2002-2005, Andy Clark. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by Andy Clark." Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The names "CyberNeko" and "NekoHTML" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact andyc@cyberneko.net.
5. Products derived from this software may not be called "CyberNeko", nor may "CyberNeko" appear in their name, without prior written permission of the author.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR OTHER CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

This license is based on the Apache Software License, version 1.1.

This product includes software developed by Andy Clark.

Expat XML Parser 1.2

Copyright (c) 1998-2005 Thai Open Source Center Ltd.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GD Library 1.8.4

Credits and license terms

In order to resolve any possible confusion regarding the authorship of gd, the following copyright statement covers all of the authors who have required such a statement. If you are aware of any oversights in this copyright notice, please contact Thomas Boutell who will be pleased to correct them.

Portions copyright 1994, 1995, 1996, 1997, 1998, 1999, 2000 by Cold Spring Harbor Laboratory. Funded under Grant P41-RR02188 by the National Institutes of Health.

Portions copyright 1996, 1997, 1998, 1999, 2000 by Boutell.Com, Inc.

Portions relating to GD2 format copyright 1999, 2000 Philip Warner.

Portions relating to PNG copyright 1999, 2000 Greg Roelofs.

Portions relating to libtiff copyright 1999, 2000 John Ellson (ellson@lucent.com).

Portions relating to JPEG copyright 2000, Doug Becker and copyright (C) 1994-1998, Thomas G. Lane. This software is based in part on the work of the Independent JPEG Group.

Portions relating to WBMP copyright 2000 Maurice Szmurlo and Johan Van den Brande.

Permission has been granted to copy, distribute and modify gd in any context without fee, including a commercial application, provided that this notice is present in user-accessible supporting documentation.

This does not affect your ownership of the derived work itself, and the intent is to assure proper credit for the authors of gd, not to interfere with your productive use of gd. If you have questions, ask. "Derived works" includes all programs that utilize the library. Credit must be given in user-accessible documentation.

This software is provided "AS IS." The copyright holders disclaim all warranties, either express or implied, including but not limited to implied warranties of merchantability and fitness for a particular purpose, with respect to this code and accompanying documentation.

Although their code does not appear in gd 1.8.4, the authors wish to thank David Koblas, David Rowley, and Hutchison Avenue Software Corporation for their prior contributions.

JabberBeans 0.9.4 from Jabber Inc.

This program contains third-party code from Jabber, Inc. Under the terms of the Jabber Open Source License, Oracle is required to provide the following notices. Note, however that the Oracle program license that accompanied this product determines your right to use the Oracle program, including the JabberBeans software, and the terms contained in the following notices do not change those rights. Notwithstanding anything to the contrary in the Oracle program license, the JabberBeans software is provided by Oracle "AS IS" and without warranty or support of any kind from Oracle or Jabber, Inc.

The source code for JabberBeans is available from Jabber, Inc. at <http://www.Jabber.com>.

JPEG Software 6b from The Independent JPEG Group

This software is based in part on the work of the Independent JPEG Group.

Mail::Sendmail Perl module 0.79 from CPAN

The source for the Mail::Sendmail Perl module can be obtained at the following URL: <http://search.cpan.org/~mivkovic/Mail-Sendmail-0.79/Sendmail.pm>

Netscape Messaging Access Software Development Kit (SDK) 3.5, Netscape Messaging Access Software Development Kit (SDK) 3.5.1 and LDAP SDK 5.1 from Netscape Communications Corporation

Portions of the Oracle Mobile Collaboration implementation are based on the Netscape Access Messaging Software Development Kit (SDK) Version 3.5 code. The Original Code is Mozilla Communicator client code, released on or about June 15, 1998. The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright ©1998-1999 Netscape Communications Corporation. All rights reserved.

Changes made to the Netscape Messaging Access SDK by Oracle Mobile Collaboration are located at:

http://www.oracle.com/technology/software/products/cs/opensource/mobility/nma_sdk_changes.html

The source code containing changes to the Netscape Messaging Access SDK by Oracle Mobile Collaboration can be downloaded in ZIP format at:

http://www.oracle.com/technology/software/products/cs/opensource/mobility/nma_sdk_changes.zip

Portions of the IMAP4, SMTP and MIME implementations are based on the Netscape Access Messaging Software Development Kit (SDK) code. The Original Code is Mozilla Communicator client code, released March 31, 1998. The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright ©1998-1999 Netscape Communications Corporation. All rights reserved.

Changes made to the Netscape Messaging Access SDK by Oracle are located at:

http://www.oracle.com/technology/software/products/cs/opensource/ocfo/nma_sdk_changes.html

The source code containing changes to the Netscape Messaging Access SDK by Oracle can be downloaded in ZIP format at:

http://www.oracle.com/technology/software/products/cs/opensource/ocfo/nma_sdk_changes.zip

Portions of the Oracle Calendar implementation are based on the Netscape LDAP Software Development Kit 5.1 code. The Original Code is Mozilla Communicator client code, released March 31, 1998. The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright ©1998-1999 Netscape Communications Corporation. All rights reserved.

The terms and conditions of any Oracle license agreement with Oracle's licensees are offered solely by Oracle and the Initial Developer and each Contributor under the Mozilla Public License and Netscape Public License shall have no responsibility or liability for such terms and conditions.

OpenSSL Toolkit 0.96m from OpenSSL Project

This product includes software developed by the OpenSSL Project * for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)

Copyright (c) 1998-2003 The OpenSSL Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"
4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org.

5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.
6. Redistributions of any form whatsoever must retain the following acknowledgment: "This product includes software developed by the OpenSSL Project or use in the OpenSSL Toolkit (<http://www.openssl.org/>)"

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This product includes cryptographic software written by Eric Young (eay@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com).

Remote Control of Netscape Navigator for Unix 1.1.3 from Netscape Corporation

Copyright © 1996 Netscape Communications Corporation, all rights reserved. Created: Jamie Zawinski jwz@netscape.com, 24-Dec-94.

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Sentry Spelling-Checker Engine 5.10 from Wintertree Software

Sentry Spelling-Checker Engine Copyright (c) 2002 Wintertree Software Inc.

SyncML Toolkit 4.1 from SyncML Initiative, Ltd.

LICENSE The Copyright Holders of this software, including all accompanying documentation ("Software"), hereby grant, royalty free and for any purpose, permission to use, copy, modify and prepare derivative works therefrom, distribute, publish, sublicense and sell copies of the Software and to permit persons to whom the Software is furnished to do the same, all subject to the following conditions: 1. The complete text of the following notice shall be reproduced on each copy or substantial copy of the Software in a location readily viewable to users of the Software: NOTICE Copyright (c) Ericsson, IBM, Lotus, Matsushita Communication Industrial Co., Ltd., Motorola, Nokia, Openwave Systems, Inc., Palm, Inc., Psion, Starfish Software, Symbian, Ltd. (2001-2002). All Rights Reserved. Implementation of all or part of any Software may require licenses under third party intellectual property rights, including without limitation, patent rights. The Copyright Holders are not responsible and shall not be held responsible in any manner for identifying or failing to identify any or all such third party intellectual property rights. THIS DOCUMENT AND THE INFORMATION CONTAINED HEREIN ARE PROVIDED ON AN "AS IS" BASIS WITHOUT WARRANTY OF ANY KIND AND ERICSSON, IBM, LOTUS,

MATSUSHITA COMMUNICATION INDUSTRIAL CO. LTD, MOTOROLA, NOKIA, OPENWAVE, PALM INC., PSION, STARFISH SOFTWARE, SYMBIAN AND ALL OTHER SYNCML SPONSORS DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL ERICSSON, IBM, LOTUS, MATSUSHITA COMMUNICATION INDUSTRIAL CO., LTD, MOTOROLA, NOKIA, OPENWAVE, PALM INC., PSION, STARFISH SOFTWARE, SYMBIAN OR ANY OTHER SYNCML SPONSOR BE LIABLE TO ANY PARTY FOR ANY LOSS OF PROFITS, LOSS OF BUSINESS, LOSS OF USE OF DATA, INTERRUPTION OF BUSINESS, OR FOR DIRECT, INDIRECT, SPECIAL OR EXEMPLARY, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY KIND IN CONNECTION WITH THIS DOCUMENT OR THE INFORMATION CONTAINED HEREIN, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

Team Spirit 1.2.14.31 from SPIRIT, Ltd.

Copyright (c) 1995-2004, SPIRIT, Ltd.

Xerces C++ 2.1.0.0 and Xerces2 Java Parser 2.6.2

This product includes Xerces C++ 2.1.0.0 developed by the Apache Software Foundation.

Copyright (c) 1999-2000 The Apache Software Foundation. All rights reserved.

This product includes Xerces2 Java Parser 2.6.2 developed by the Apache Software Foundation.

Copyright (c) 1999-2004 The Apache Software Foundation. All rights reserved.

The Oracle Corporation license is based on the Apache Software License Version 1.1.

<http://www.apache.org/>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).". Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The names "Xerces" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation and was originally based on software copyright (c) 1999, International Business Machines, Inc., <http://www.ibm.com>. For more information on the Apache Software Foundation, please see <http://www.apache.org/>.

XPEplorer Bar 3.2.1.2 from Mathew Hall

Copyright © 2004-2005, Mathew Hall

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

DBI 1.20/DBD 1.15 from Tim Bunce

This product includes source code developed by Tim Bunce which can be found at <http://search.cpan.org/~timb/DBD-Oracle-1.15/>.

SSL Plus Toolkit from Certicom

This product includes code licensed from Certicom.

Zip Utility 2.3, UnZip Utility 5.5.1 from Info-ZIP

Copyright (c) 1990-2003 Info-ZIP. All rights reserved.

For the purposes of this copyright and license, 'Info-ZIP' is defined as the following set of individuals: Mark Adler, John Bush, Karl Davis, Harald Denker, Jean-Michel

Dubois, Jean-loup Gailly, Hunter Goatley, Ed Gordon, Ian Gorman, Chris Herborth, Dirk Haase, Greg Hartwig, Robert Heath, Jonathan Hudson, Paul Kienitz, David Kirschbaum, Johnny Lee, Onno van der Linden, Igor Mandrichenko, Steve P. Miller, Sergio Monesi, Keith Owens, George Petrov, Greg Roelofs, Kai Uwe Rommel, Steve Salisbury, Dave Smith, Steven M. Schweda, Christian Spieler, Cosmin Truta, Antoine Verheijen, Paul von Behren, Rich Wales, Mike White

This software is provided 'as is,' without warranty of any kind, express or implied. In no event shall Info-ZIP or its contributors be held liable for any direct, indirect, incidental, special or consequential damages arising out of the use of or inability to use this software. Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. Redistributions of source code must retain the above copyright notice, definition, disclaimer, and this list of conditions.
2. Redistributions in binary form (compiled executables) must reproduce the above copyright notice, definition, disclaimer, and this list of conditions in documentation and/or other materials provided with the distribution. The sole exception to this condition is redistribution of a standard UnZipSFX binary (including SFXWiz) as part of a self-extracting archive; that is permitted without inclusion of this license, as long as the normal SFX banner has not been removed from the binary or disabled.
3. Altered versions--including, but not limited to, ports to new operating systems, existing ports with new graphical interfaces, and dynamic, shared, or static library versions--must be plainly marked as such and must not be misrepresented as being the original source. Such altered versions also must not be misrepresented as being Info-ZIP releases--including, but not limited to, labeling of the altered versions with the names 'Info-ZIP' (or any variation thereof, including, but not limited to, different capitalizations), 'Pocket UnZip,' 'WiZ' or 'MacZip' without the explicit permission of Info-ZIP. Such altered versions are further prohibited from misrepresentative use of the Zip-Bugs or Info-ZIP e-mail addresses or of the Info-ZIP URL(s).
4. Info-ZIP retains the right to use the names 'Info-ZIP,' 'Zip,' 'UnZip,' 'UnZipSFX,' 'WiZ,' 'Pocket UnZip,' 'Pocket Zip,' and 'MacZip' for its own source and binary releases.

Stemming Technology 2.2, XLT API Developer Toolkit v.1.0.5 (including Updates), and Linguistic Databases (including Updates) for English, French, German, Italian, Spanish and Dutch from Inxight

Copyright (c) Inxight Software, Inc.

Kerberos 5 Release 11.0 Beta 4 from Massachusetts Institute of Technology (MIT), OpenVision Technologies, Inc. and the Regents of the University of California

This program contains third-party code from Massachusetts Institute of Technology (MIT), OpenVision Technologies, Inc. and the Regents of the University of California. Under the terms of the Kerberos license, Oracle is required to license the Kerberos software to you under the following terms. Note that the terms contained in the Oracle program license that accompanied this product do not apply to the Kerberos software, and your rights to use the software are solely as set forth below. Oracle is not responsible for the performance of the Kerberos software, does not provide technical support for the software, and shall not be liable for any damages arising out of any use of the Kerberos software.

Copyright (c) 1985-2002 by the Massachusetts Institute of Technology.

All rights reserved.

Export of this software from the United States of America may require a specific license from the United States Government. It is the responsibility of any person or organization contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of M.I.T. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Furthermore, if you modify this software you must label your software as modified software and not distribute it in such a fashion that it might be confused with the original M.I.T. software. M.I.T. makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

THIS SOFTWARE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Individual source code files are copyright M.I.T., Cygnus Support, OpenVision, Oracle, Sun Soft, FundsXpress, and others.

Project Athena, Athena, Athena MUSE, Discuss, Hesiod, Kerberos, Moira, and Zephyr are trademarks of the Massachusetts Institute of Technology (M.I.T.). No commercial use of these trademarks may be made without prior written permission of M.I.T.

"Commercial use" means use of a name in a product or other for-profit manner. It does NOT prevent a commercial firm from referring to the M.I.T. trademarks in order to convey information (although in doing so, recognition of their trademark status should be given).

Open Vision Kerberos Administration System The following copyright and permission notice applies to the OpenVision Kerberos Administration system located in `kadmin/create`, `kadmin/dbutil`, `kadmin/passwd`, `kadmin/server`, `lib/kadm5`, and portions of `lib/rpc`:

Copyright, OpenVision Technologies, Inc., 1996, All Rights Reserved.

WARNING: Retrieving the OpenVision Kerberos Administration system source code, as described below, indicates your acceptance of the following terms. If you do not agree to the following terms, do not retrieve the OpenVision Kerberos administration system.

You may freely use and distribute the Source Code and Object Code compiled from it, with or without modification, but this Source Code is provided to you "AS IS" EXCLUSIVE OF ANY WARRANTY, INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, WHETHER EXPRESS OR IMPLIED. IN NO EVENT WILL OPENVISION HAVE ANY LIABILITY FOR ANY LOST PROFITS, LOSS OF DATA, OR COSTS OF PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES, OR FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THIS AGREEMENT, INCLUDING, WITHOUT LIMITATION, THOSE RESULTING FROM THE USE OF THE SOURCE CODE, OR THE FAILURE OF THE SOURCE CODE TO PERFORM, OR FOR ANY OTHER REASON.

OpenVision retains all copyrights in the donated Source Code. OpenVision also retains copyright to derivative works of the Source Code, whether created by OpenVision or by a third party. The OpenVision copyright notice must be preserved if derivative works are made based on the donated Source Code.

OpenVision Technologies, Inc., has donated this Kerberos Administration system to M.I.T. for inclusion in the standard Kerberos 5 distribution. This donation underscores our commitment to continuing Kerberos technology development and our gratitude for the valuable work which has been performed by M.I.T. and the Kerberos community.

Additional Licensing Information Portions contributed by Matt Crawford crawdad@fnal.gov were work performed at Fermi National Accelerator Laboratory, which is operated by Universities Research Association, Inc., under contract DE-AC02-76CHO3000 with the U. S. Department of Energy.

Perl Interpreter 5.8.3, Devel-symdump 2.01, Digest MD5 2.13, HTML Parser 3.2.4/3.2.5, Libnet 1.0703, Libwww-perl 5.53, MIME based 64 v2.12, Net-Daemon 0.35, PIRPC 0.2015, Storable 1.012, URI 1.12, Win32-TieRegistry-0.24, Win32API-Registry-0.23, Simple.pm [final name pending] from CPAN/Perl

Source code for the standard unmodified version of the above products can be found at <http://www.cpan.org/src/README.html>.

BSAFE (BSAFE CRYPTO-C 6.0.3.), BSAFE (BSAFE CERT-C TOOLKIT 2.5.1) from RSA Security

This product includes code licensed from RSA Data Security.



JRE 1.4.2, JDK 1.4.2, Java Advanced Imaging (JAI) 1.1.1_01, Java Access Bridge 1.0.2 (Production Version) and Java Mail 1.1.3. from Sun Microsystems

This product includes code provided by Sun Microsystems.



BLAS and LPACK

Copyright (c) Jack Dongarra

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of BLAS or LPACK nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

mod_ssl, Ralf S. Engelschall

Copyright (c) 1998-2001 Ralf S. Engelschall. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:

This product includes software developed by Ralf S. Engelschall
<rse@engelschall.com> for use in the mod_ssl project
(<http://www.modssl.org/>)

4. The names "mod_ssl" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact rse@engelschall.com.
5. Products derived from this software may not be called "mod_ssl" nor may "mod_ssl" appear in their names without prior written permission of Ralf S. Engelschall.
6. Redistributions of any form whatsoever must retain the following acknowledgment:

This product includes software developed by Ralf S. Engelschall
<rse@engelschall.com> for use in the mod_ssl project
(<http://www.modssl.org/>)

THIS SOFTWARE IS PROVIDED BY RALF S. ENGELSCHALL AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL RALF S. ENGELSCHALL OR HIS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

OpenSSL 0.9.6b, OpenSSL Project

Distribution License. The following must be in the documentation for object code distributions:

Copyright (c) 1998-2001 The OpenSSL Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)

4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org.
5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.
6. Redistributions of any form whatsoever must retain the following acknowledgment:

This product includes software developed by the OpenSSL Project for use in the OpenSSL toolkit. (<http://www.openssl.org/>).

THIS SOFTWARE IS PROVIDED BY THE Open SSL PROJECT AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE Open SSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

TCL 8.2.3

This product includes TCL v. 8.2.3 files which require inclusion of the following notice:

This software is copyrighted by the Regents of the University of California, Sun Microsystems, Inc., Scriptics Corporation, and other parties. The following terms apply to all files associated with the software unless explicitly disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute, and license this software and its documentation for any purpose, provided that existing copyright notices are retained in all copies and that this notice is included verbatim in any distributions. No written agreement, license, or royalty fee is required for any of the authorized uses.

Modifications to this software may be copyrighted by their authors and need not follow the licensing terms described here, provided that the new terms are clearly indicated on the first page of each file where they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY DERIVATIVES THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

GOVERNMENT USE: If you are acquiring this software on behalf of the U.S. government, the Government shall have only "Restricted Rights" in the software and related documentation as defined in the Federal Acquisition Regulations (FARs) in Clause 52.227.19 (c) (2). If you are acquiring the software on behalf of the Department of Defense, the software shall be classified as "Commercial Computer Software" and the Government shall have only "Restricted Rights" as defined in Clause 252.227-7013 (c) (1) of DFARs. Notwithstanding the foregoing, the authors grant the U.S. Government and others acting in its behalf permission to use and distribute the software in accordance with the terms specified in this license.

Miscellaneous Third-Party Licensing Information

Portions of this software Copyright 1992-1999 MapInfo Corporation, ALL RIGHTS RESERVED.

Apache License

This program contains Batik version 1.6.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity. "You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - a. You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - b. You must cause any modified files to carry prominent notices stating that You changed the files; and
 - c. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - d. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensors provide the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

JACL Version 1.3.1

SUN MICROSYSTEMS, INC. THROUGH ITS SUN MICROSYSTEMS LABORATORIES DIVISION ("SUN") WILL LICENSE THIS SOFTWARE AND THE ACCOMPANYING DOCUMENTATION TO YOU (a "Licensee") ONLY ON YOUR ACCEPTANCE OF ALL THE TERMS SET FORTH BELOW.

Sun grants Licensee a non-exclusive, royalty-free right to download, install, compile, use, copy and distribute the Software, modify or otherwise create derivative works from the Software (each, a "Modification") and distribute any Modification in source code and/or binary code form to its customers with a license agreement containing these terms and noting that the Software has been modified. The Software is copyrighted by Sun and other third parties and Licensee shall retain and reproduce all copyright and other notices presently on the Software. As between Sun and Licensee, Sun is the sole owner of all rights in and to the Software other than the limited rights granted to Licensee herein; Licensee will own its Modifications, expressly subject to Sun's continuing ownership of the Software. Licensee will, at its expense, defend and indemnify Sun and its licensors from and against any third party claims, including costs and reasonable attorneys' fees, and be wholly responsible for any liabilities

arising out of or related to Licensee's development, use or distribution of the Software or Modifications. Any distribution of the Software and Modifications must comply with all applicable United States export control laws.

THE SOFTWARE IS BEING PROVIDED TO LICENSEE "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED. IN NO EVENT WILL SUN BE LIABLE HEREUNDER FOR ANY DIRECT DAMAGES OR ANY INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND.

Portions of Jacl and Tcl Blend are Copyright (c) 1997-1999 The Regents of the University of California.

All rights reserved.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE UNIVERSITY OF CALIFORNIA BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE UNIVERSITY OF CALIFORNIA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE UNIVERSITY OF CALIFORNIA SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE UNIVERSITY OF CALIFORNIA HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

Third-Party Products Included with Sun Microsystems Products

Sun Microsystems has indicated that the following materials may be included in the Java Development Kit and/or JRE materials that are included in the Oracle product. Sun Microsystems currently provides the following notices as part of the Sun distribution:

A. CS CodeViewer v1.0; Use of any of this software is governed by the terms of the license below:

Copyright 1999 by CoolServlets.com.

Any errors or suggested improvements to this class can be reported as instructed on CoolServlets.com. We hope you enjoy this program... your comments will encourage further development! This software is distributed under the terms of the BSD License. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither name of CoolServlets.com nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

"THIS SOFTWARE IS PROVIDED BY COOLSERVLETS.COM AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE."

B. DES and 3xDES ; Use of any of this software is governed by the terms of the license below:

"Copyright 2000 by Jef Poskanzer <jef@acme.com>. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE."

C. Crimson v1.1.1 ; Use of any of this software is governed by the terms of the license below:

The Apache Software License, Version 1.1

Copyright (c) 1999-2000 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation

<http://www.apache.org/>

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Crimson" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation and was originally based on software copyright (c) 1999, International Business Machines, Inc.,

<http://www.ibm.com>

For more information on the Apache Software Foundation, please see

<http://www.apache.org/>.

D. Xalan J2; Use of any of this software is governed by the terms of the license below:

The Apache Software License, Version 1.1

Copyright (c) 1999-2000 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation:

<http://www.apache.org/>).

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Xalan" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation and was originally based on software copyright (c) 1999, International Business Machines, Inc.:

<http://www.ibm.com>

For more information on the Apache Software Foundation, please see

<http://www.apache.org/>

E. NSIS 1.0j; Use of any of this software is governed by the terms of the license below:

Copyright (C) 1999-2000 Nullsoft, Inc.

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software. Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution. Justin Frankel justin@nullsoft.com

**F. Some Portions licensed from IBM are available at:
<http://oss.software.ibm.com/icu4j/>**

G. Portions Copyright Eastman Kodak Company 1992

**H. Lucida is a registered trademark or trademark of Bigelow & Holmes in the U.S.
and other countries.**

I. Portions licensed from Taligent, Inc.

Index

A

Advanced Security option, 2-1
Apache License, A-18
Axis software, A-2

C

ConvertUTF.C software, A-5
CyberNeko HTML Parser, A-5

D

database options, 2-1
 Advanced Security, 2-1
 Data Mining, 2-2
 Label Security, 2-2
 OLAP, 2-3
 Oracle Content DB, 2-2
 Oracle Database Vault, 2-2
 Oracle Records DB, 2-3
 Oracle Warehouse Builder Connector—E-Business Suite, 2-5
 Oracle Warehouse Builder Connector—PeopleSoft, 2-5
 Oracle Warehouse Builder Connector—SAP R/3 Connector, 2-5
 Oracle Warehouse Builder Data Quality, 2-5
 Oracle Warehouse Builder Enterprise ETL, 2-4
 Partitioning, 2-3
 Real Application Clusters, 2-3
 Spatial, 2-3

E

Enterprise Edition, 1-1
Expat XML Parser, A-6

G

GD Library, A-6

J

JabberBeans software, A-7
JPEG Software, A-7

L

LDAP SDK, A-7
Lite, 2-13

M

management packs, 2-6
 Change Management, 2-6
 Configuration Management, 2-6
 Diagnostic, 2-10
 Tuning, 2-12

N

Netscape Messaging Access Software Development Kit (SDK), A-7

O

OLAP option, 2-3
OpenSSL software, A-8
Oracle Change Management Pack, 2-6
Oracle Configuration Management Pack, 2-6
Oracle Content DB option, 2-2
Oracle Data Mining option, 2-2
Oracle Database Enterprise Edition, 1-1
Oracle Database Express Edition, 1-1
Oracle Database Lite, 2-13
Oracle Database Personal Edition, 1-2
Oracle Database Standard Edition, 1-1
Oracle Database Standard Edition One, 1-1
Oracle Database Vault option, 2-2
Oracle Database XE, 1-1
Oracle Diagnostic Pack, 2-10
Oracle Label Security option, 2-2
Oracle On-Line Analytical Processing option, 2-3
Oracle Partitioning option, 2-3
Oracle Real Application Clusters option, 2-3
Oracle Records DB option, 2-3
Oracle Secure Backup, 2-3
Oracle Spatial option, 2-3
Oracle Tuning Pack, 2-12
Oracle Warehouse Builder Connector—E-Business Suite option, 2-5
Oracle Warehouse Builder Connector—PeopleSoft option, 2-5

Oracle Warehouse Builder Connector—SAP R/3
Connector option, 2-5
Oracle Warehouse Builder Data Quality option, 2-5
Oracle Warehouse Builder Enterprise ETL
option, 2-4

P

Personal Edition, 1-2

R

Remote Control software, A-9

S

Sendmail Perl module, A-7
Sentry Spell-Checker Engine software, A-9
software editions, 1-1
Standard Edition, 1-1
Standard Edition One, 1-1
SyncML Toolkit software, A-9

T

Team Spirit software, A-10
third-party software
Axis, A-2
ConvertUTF.C, A-5
CyberNeko HTML Parser, A-5
Expat XML Parser, A-6
GD Library, A-6
JabberBeans, A-7
JPEG Software, A-7
LDAP SDK, A-7
Netscape Messaging Access Software
Development Kit (SDK), A-7
OpenSSL, A-8
Remote Control, A-9
Sendmail Perl module, A-7
Sentry Spell-Checker Engine, A-9
SyncML Toolkit, A-9
Team Spirit, A-10
Xerces C++, A-10
Xerces2 Java Parser, A-10
XPExplorer Bar, A-11

X

Xerces C++ software, A-10
Xerces2 Java Parser software, A-10
XPExplorer Bar software, A-11